

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	\$2ML same (convert\$3 transform\$3) same (style adj language) same (MIMI)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L2	0	\$2ML same (convert\$3 transform\$3) same (style adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L3	99520	\$2ML same (convert\$3 transform\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L4	4404	L3 same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L5	2	L3 same MIMI	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L6	107	L3 same MIME	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L7	0	L6 same (ESL)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L8	0	L6 same (style adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L9	0	L6 and (style adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43

L10	0	L6 and (extensible adj style adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L11	241	(extensible adj style adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L12	0	L11 and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L13	70	L6 and (@ad<"20010831" @rlad<"20010831")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L14	125	L11 and (@ad<"20010831" @rlad<"20010831")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L15	2	L11 same MIME	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L16	1077	"XSLT"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L17	0	L16 same L6	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L18	561	L16 same L3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L19	0	L18 same MIM	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43

L20	0	L18 same MIME	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L21	561	L16 same L3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L22	188	L18 and (@ad<"20010831" @rlad<"20010831")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L23	17	L22 and MIME	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L24	7	L23 and "error message"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
S1	0	\$2ML same (convert\$3 transform\$3) same (style adj language) same (MIMI)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:07
S2	0	\$2ML same (convert\$3 transform\$3) same (style adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:07
S3	99339	\$2ML same (convert\$3 transform\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:09
S4	4362	S3 same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:10
S5	2	S3 same MIMI	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:10

S6	107	S3 same MIME	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:22
S7	0	S6 same (ESL)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:10
S8	0	S6 same (style adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:11
S9	0	S6 and (style adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:11
S10	0	S6 and (extensible adj style adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:11
S11	240	(extensible adj style adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:29
S12	0	S11 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:11
S13	70	S6 and (@ad<"20010831" @rlad<"20010831")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:27
S14	124	S11 and (@ad<"20010831" @rlad<"20010831")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:32
S15	2	S11 same MIME	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:27

S16	1068	"XSLT"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:29
S17	558	S16 same S3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:32
S18	0	S16 same S6	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:31
S19	0	S17 same MIM	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:31
S20	0	S17 same MIME	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:31
S21	188	S17 and (@ad<"20010831" @rlad<"20010831")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:32
S22	17	S21 and MIME	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:39
S23	7	S22 and "error message"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:39

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	\$2ML same (convert\$3 transform\$3) same (style adj language) same (MIMI)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L2	0	\$2ML same (convert\$3 transform\$3) same (style adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L3	99520	\$2ML same (convert\$3 transform\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L4	4404	L3 same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L5	2	L3 same MIMI	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L6	107	L3 same MIME	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L7	0	L6 same (ESL)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L8	0	L6 same (style adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L9	0	L6 and (style adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43

L10	0	L6 and (extensible adj style adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L11	241	(extensible adj style adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L12	0	L11 and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L13	70	L6 and (@ad<"20010831" @rlad<"20010831")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L14	125	L11 and (@ad<"20010831" @rlad<"20010831")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L15	2	L11 same MIME	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L16	1077	"XSLT"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L17	0	L16 same L6	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L18	561	L16 same L3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L19	0	L18 same MIM	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43

L20	0	L18 same MIME	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L21	561	L16 same L3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L22	188	L18 and (@ad<"20010831" @rlad<"20010831")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L23	17	L22 and MIME	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
L24	7	L23 and "error message"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 15:43
S1	0	\$2ML same (convert\$3 transform\$3) same (style adj langugage) same (MIMI)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:07
S2	0	\$2ML same (convert\$3 transform\$3) same (style adj langugage)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:07
S3	99339	\$2ML same (convert\$3 transform\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:09
S4	4362	S3 same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:10
S5	2	S3 same MIMI	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:10

S6	107	S3 same MIME	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:22
S7	0	S6 same (ESL)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:10
S8	0	S6 same (style adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:11
S9	0	S6 and (style adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:11
S10	0	S6 and (extensible adj style adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:11
S11	240	(extensible adj style adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:29
S12	0	S11 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:11
S13	70	S6 and (@ad<"20010831" @rlad<"20010831")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:27
S14	124	S11 and (@ad<"20010831" @rlad<"20010831")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:32
S15	2	S11 same MIME	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:27

S16	1068	"XSLT"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:29
S17	558	S16 same S3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:32
S18	0	S16 same S6	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:31
S19	0	S17 same MIM	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:31
S20	0	S17 same MIME	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:31
S21	188	S17 and (@ad<"20010831" @rlad<"20010831")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:32
S22	17	S21 and MIME	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:39
S23	7	S22 and "error message"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/25 10:39